

# 16-outlet Vertical Power Strip with 15-ft. Cord

MODEL NUMBER: AL-54233



## Highlights

- 16 outlets
- Convenient and safe covered, on/off switch
- 15-amp circuit breaker
- 15-ft. cord
- 48" length

### Applications

 Ideal for horizontal or vertical raceway style power distribution in office, workbench, industrial, networking and telecom applications

#### Package Includes

- AL-54233
- · Mounting hardware
- Instruction manual

### Description

ALCO Sales AL-54233 power strip offers 15 amp, 120V multi-outlet AC power distribution in a convenient 48 inch

mountable housing, ideal for housing, ideal for housing, style power distribution in office, workhevin, industrial, networking and telecom applications induced in BNLMS-158 odguit receptode with 2717 nich on enter-boretier spacing. IS ACL fine cost and lighted power wink's the locking transparent cover to prevent accidential shuted. Stury ali-metal entrudied aurirrum housing stands up to demanding network, laboratory or factory environments. INUT/OUTPLT: Intel REMSA 159/Oxfourt 18 INIMA -151

ELECTRICAL: 120V AC, 50/60Hz, 15A

FORMAT: 48 in. corded, mountable power strip

#### Features

- · Sturdy all-metal 48 inch corded strip format with 2.717 inch center-to-center outlet spacing
- · Includes 16 NEMA 5-15R output receptacles
- · Ideal for horizontal or vertical raceway style power distribution in office, workbench, industrial, networking and telecom applications
- · Lighted power switch with locking transparent cover prevents accidental shutoff
- · 15 amp electrical capacity with circuit breaker
- · 120VAC, 50/60Hz electrical compatibility

# Specifications

OVERVIEW		
Intended Application	Home/Office	
OUTPUT		
Frequency compatibility	50 / 60 Hz	
Output watts	1800	



Circuit Breaker (amps)	15
Outlet quantity / type	16 Nema 5-15R
Outlet spacing	2.717 in.
INPUT	
Nominal Input Voltage(s) Supported	120V AC
Recommended Electrical Service	15A 120V
Input connection type	Nema 5-15P
Input plug features	Black
Input cord length (ft.)	15
Input cord length (m)	4.572
Input cord gauge, type	14/3 SJT
Voltage compatibility (VAC)	120
LEDS ALARMS & SWITCHES	
Switches	Lighted 2 position switch controls power to all outlets
Locking switch cover	Transparent on/off switch cover prevents accidental turn-off
PHYSICAL	
Unit Dimensions (HWD/in)	48 x 1.5 x 1.5
Unit Dimensions (HWD/cm)	122 x 3.8 x 3.8
Unit weight (lbs)	4.3
Unit weight (kg)	1.9522
Material of construction	Aluminum
Mounting accessories included	Includes mounting clips
Receptacle Color	Black
AC line cord color	Black
Style	Bench/Cabinet Mount
Form factors supported	Supports horizontal or vertical raceway style power distribution in office, workbench, industrial, networking and telecom applications
Outlets center to center measurement	69mm
CERTIFICATIONS	
UL1363 (Power Tap)	UL1363



WARRANTY	
Product Warranty Period (Worldwide)	Lifetime limited warranty

ALCO Sales. All rights reserved. All trademarks are the sole property of their respective owners. ALCO Sales has a policy of continuous improvement. Specifications are subject to change without notice. Photos may differ slightly from final products.