



# Safety Series IV Stands

## AL-91736

STANDARD DUTY IV STAND

Medical Device Mobility Solutions  
Designed For Safety And Stability



# AL-91736 Safety Series **IV STAND**

- Designed for Safety and Stability
- 25-inch diameter six-leg steel laser base
- Stainless Steel Off-Set Center-G mount pole for optimum Stability
- 3-inch dual precision sealed bearing casters (10 yr. warranty)
- Telescoping stainless steel slow descending inner pole
- Stainless Steel in-line 12 hook top for ideal line management
- 6-Outlet Medical Grade Power Strip
- Compressed height 62" from floor
- Fully extended height 82" from floor
- Shipping hex box is 13" x 13" x 13" x 35"
- Shipping Weight is 54 lbs

The Safety Series AL-91736 is a staple in the Center-G family product offering and hits all the marks for Safety and Stability. The stainless-steel Center-G mounting pole is off-set positioning the central mass of the device(s) over central axis of stand for optimum stability. The Safety Series features an upgraded 25" diameter six leg laser base with improved stability along with high grade polymer sealed bearing casters for longer lasting performance (10 yr. warranty on casters). Topped with a robust in-line 12-hook top for ideal line management and bag placement along with a controlled descent inner pole for safe height adjustments under load. The AL-91736 includes a hospital-grade, UL 1363A 6- outlet power strip. This stand is built from the ground up using high grade steels, stainless steels, and a white epoxy powder coat finish, all extending the useful life of the pole while standing up to the harsh hospital environment.



# ACCESSORIES

## O2 HOLDER



- Designed for D & E gas cylinders
- Mounting for 2" dia. poles
- White epoxy powder coat finish
- Top bracket for test chest tubes

## BED TRANSPORT SYSTEM (QWIK-IT)



- Quickly connects IV pole to patient bed for transport
- Speed clamp technology for up to 2" dia. poles
- Gas spring allows for quiet slow descent after use
- Hospital bed must have IV pole mount hole to function

## IV BAG CLAMP MOUNT



- Designed to hold secondary IV bags
- Fits up to 1.25" dia. poles
- 304 stainless steel hooks
- Anodize aluminum clamp

## TRANSDUCER HOLDER



- 7/8" stainless up-right tube for mounting transducer
- Transducer mounting tube is 24" long
- Tube is set vertical when mounted to a vertical pole
- Height adjustable using attached clamp

## 4" CASTER



- Smooth rolling, non-marking rubber wheel
- White raceway matches epoxy white base
- Not interchangeable with 3" caster
- Must be requested at time of purchase

## DRAGER BARS



- Mounts to standard Pryor IV Stands, 21" long
- Industry-standard 10mm X 25mm bar
- Item 300 mounts to a 7/8" diameter pole
- Item 305 mounts to a 1.25" Pole