



Safety Series IV Stands

AL-91737
HEAVY DUTY IV STAND

Medical Device Mobility Solutions
Designed For Safety And Stability



AL-91737 Safety Series IV STAND

- Designed for Safety and Stability
- 25-inch diameter six-leg steel laser base
- Stainless Steel Dual Off-Set mount poles for optimum Stability
- Ergonomic Handle
- 3-inch dual precision sealed bearing casters (10 yr. warranty)
- Telescoping stainless slow descending inner poles
- (2) Stainless Steel 6 hook tops for ideal line management
- (2) 4-Outlet Medical Grade Power Strip
- Compressed height 73" from floor
- Fully extended height 99" from floor
- Shipping hex box is 13" x 13" x 13" x 45"
- Shipping Weight is 65 lbs

The Safety Series AL-91737 is another staple in the Center-G family product offering and hits all the marks for Safety and Stability. The stainless-steel Center-G mounting poles are off-set positioning the central mass of the device(s) over central axis of stand for optimum stability. The Safety Series features an upgraded 25" diameter six leg laser base with improved stability along with high grade polymer sealed bearing casters for longer lasting performance (10 yr. warranty on casters). Topped with two in-line 6-hook tops for ideal line management and bag placement along with controlled descent inner poles for safe height adjustments under load.

The AL-91737 includes 2 hospital-grade, UL 1363A 4-outlet power strips. This stand is built from the ground up using high grade steels, stainless steels, and a white epoxy powder coat finish, all extending the useful life of the pole while standing up to the harsh hospital environment.



ACCESSORIES

O2 HOLDER




- Designed for D & E gas cylinders
- Mounting for 2" dia. poles
- White epoxy powder coat finish
- Top bracket for test chest tubes

BED TRANSPORT SYSTEM (QWIK-IT)



- Quickly connects IV pole to patient bed for transport
- Speed clamp technology for up to 2" dia. poles
- Gas spring allows for quiet slow descent after use
- Hospital bed must have IV pole mount hole to function

IV BAG CLAMP MOUNT



- Designed to hold secondary IV bags
- Fits up to 1.25" dia. poles
- 304 stainless steel hooks
- Anodize aluminum clamp

TRANSDUCER HOLDER



- 7/8" stainless up-right tube for mounting transducer
- Transducer mounting tube is 24" long
- Tube is set vertical when mounted to a vertical pole
- Height adjustable using attached clamp

4" CASTER



- Smooth rolling, non-marking rubber wheel
- White raceway matches epoxy white base
- Not interchangeable with 3" caster
- Must be requested at time of purchase

DRAGER BARS



- Mounts to standard Pryor IV Stands, 21" long
- Industry-standard 10mm X 25mm bar
- Item 300 mounts to a 7/8" diameter pole
- Item 305 mounts to a 1.25" Pole