

# Safety Series IV Stands

**AL-91738**  
HEAVY DUTY IV STAND

Medical Device  
Mobility Solutions  
Designed For Safety And Stability



# AL-91738 Safety Series IV STAND

- Designed for Safety and Stability
- 27 x 28-inch six-leg laser H-base
- Triple Off-Set mount poles for optimum stability
- Ergonomic Handle
- 3-inch dual precision sealed bearing casters
- Telescoping stainless slow descending inner poles
- (3) Stainless Steel 6-hook rake tops for ideal line management
- (2) 6-Outlet Medical Grade Power Strips
- (1) 4-Outlet Medical Grade Power Strips

The AL-91738 is a staple in the Center-G family product offering and hits all the marks for Safety and Stability. The triple stainless-steel Center-G mounting poles are off-set positioning the central mass of the device(s) over central axis of stand for optimum stability. The six-leg steel laser H-base is mounted with six dual precision sealed bearing casters for quiet, effortless mobility, and come with a 10-year warranty! Additionally, this stand includes two 6-outlet and one 4-outlet hospital-grade, UL 1363A power strips.

This stand is built from the ground up using high grade steels, stainless steels, and a white epoxy powder coat finish, all extending the useful life of the pole while standing up to the harsh hospital environment.



# ACCESSORIES

## O2 HOLDER



- Designed for D & E gas cylinders
- Mounting for 2" dia. poles
- White epoxy powder coat finish
- Top bracket for test chest tubes

## BED TRANSPORT SYSTEM (QWIK-IT)



- Quickly connects IV pole to patient bed for transport
- Speed clamp technology for up to 2" dia. poles
- Gas spring allows for quiet slow descent after use
- Hospital bed must have IV pole mount hole to function

## IV BAG CLAMP MOUNT



- Designed to hold secondary IV bags
- Fits up to 1.25" dia. poles
- 304 stainless steel hooks
- Anodize aluminum clamp

## TRANSDUCER HOLDER



- 7/8" stainless up-right tube for mounting transducer
- Transducer mounting tube is 24" long
- Tube is set vertical when mounted to a vertical pole
- Height adjustable using attached clamp

## 4" CASTER



- Smooth rolling, non-marking rubber wheel
- White raceway matches epoxy white base
- Not interchangeable with 3" caster
- Must be requested at time of purchase

## DRAGER BARS



- Mounts to standard Pryor IV Stands, 21" long
- Industry-standard 10mm X 25mm bar
- Item 300 mounts to a 7/8" diameter pole
- Item 305 mounts to a 1.25" Pole