

Clinical Care Recliner




Realities of patient care continuously create opportunities for smarter solutions. The Clinical Care Recliner has been created to provide total flexibility in matching your application with exactly the features you require and the family of medical recliners comfort your patients demand.

The Clinical Care Recliner's modular design helps the clinician choose a configuration that is perfectly suited to their specific needs:

- Promotes patient independence with low effort recline and infinite position backrest.
- Supports clinician comfort with bilateral, foot-operated controls for most functions.
- Enhances facility efficiency with attractive, durable construction that is robust and easy to clean.

ANATOMY OF THE CLINICAL CARE RECLINER



TRENDELENBURG

Key to clinical utility is the ability to quickly select Trendelenburg positioning where needed. Trendelenburg is controlled with bilateral access foot levers, eliminating the need for the clinician to bend down to reach controls.

Secure-Glide™ provides gentle patient positioning while preventing clinician strain. The controlled descent helps eliminate any need, or natural reflex, to strain to control the rapid patient positioning in emergency situations.



Secure-Glide™ for stress-free positioning





Foot lever for exclusive Secure-Glide™ Trendelenburg descent

RECLINE CONTROL OPTIONS

All **Clinical Care Recliner** models feature a push back action in order to raise the footrest, and both offer convenient and comfortable infinite positioning of the back rest. **Clinical Care Recliner** offers two methods of control of that positioning.



Gas Assist Models - Our premium gas-back model allows positive locking position of the backrest angle with hydraulic cylinder assisted operation. Locking action is controlled by easily accessed bilateral control levers. Push to extend the footrest and initiate recline, then pull either lever until the desired back angle is achieved. Upon release of the lever, the seat back locks securely in place.

Push Back Models - Flowing from the same motion used to extend the footrest, the push back model allows seamless positioning of the desired back rest angle. The gravity operated, gentle resistance designed into the chair then maintains selected positioning. Push back models feature a lower price point and a slightly less encumbered aesthetic.

ARM OPTIONS

Facility utility is enhanced through the availability of two arm configurations. Standard fixed arms are cost effective, sturdy and durable. Optional swing arms allow 180 degree swing-away movement of the arm for convenient cleaning access and barrier-free patient transfer.

Upholstered arm shown







Urethane Arm Cap (option) >>

Swing Arm Option

Swing arms are ideal when easy access cleaning and transfer of patients is an important consideration.

Each side of the **Clinical Care Recliner** with swing arms is easily opened with the convenient foot controls

Even if an optional table is left in the up position, there is no interference with the full swing motion nor hindrance with patient in the full recline position for true barrier-free transfer.

Fixed Arm Option

Fixed arms are suitable for most general purpose operations when transfer of patient is not required or where working space for swing arm motion is severely limited.

Urethane Cap Option

The Urethane cap option provides unique styling, firm support, and extended arm cap life.



MATCH YOUR PURPOSE

The Clinical Care Recliner modular design allows choices in how the chair is anchored or moved. Whether stationary or for patient transport, the Clinical Care Recliner has a perfect solution.

Pedestal Feet - Looking for a stable room recliner for guests, or don't want your residents moving chairs around? Pedestal feet are the solution. When mobility is not required or desired, pedestal feet provide a less clinical look and a lower seat height. Pedestal feet create a seat height of 17.5" from the floor, meeting ADA Compliance.*

Casters are available for ease of movement of the chair for cleaning, maintenance and staging for patient access. All casters come with lockable, foot lever release controls.

It is recommended that after moving the chair always lock the casters prior to patient ingress/egress.

- 3" Casters Want a low seated height but need mobility for cleaning and room configuration flexibility? Then 3" casters are probably best. 3" casters have a seat height of 20.5" from the floor meeting ADA Compliance*.
- 5" Casters are first choice when moving the chair about a facility. 5" casters have a seat height of 22.75" from the floor. Want a little more height to bring the patient closer to staff? 5" casters are your answer.
- * Reference ADAAG 4.19.2 Heights and Clearances.

FOOT PLATE

With 5" casters, patients will appreciate the added comfort of the retractable foot plate. Paired with the pushbar option, the Clinical Care Recliner with footplate is suitable for within-facility patient transport.

The Clinical Care Recliner's footplate is designed to be weight bearing and won't tip when weight is placed on the footplate. The footplate locks as weight is applied to prevent unwanted or unexpected movement.

Patients should be assisted at all times by a staff member when using the footplate.







PUSH HANDLE OPTION

The push handle option is recommended with the footplate models if the chair is to be used for in-facility patient transport.



CLINICAL UTILITY AND FACILITY FLEXIBILITY ARE MAXIMIZED BY SIZE/CAPACITY OPTIONS

The Clinical Care Recliner's innovative design and enhanced utility is available in two sizes: standard and X-large. No matter which size is specified, Clinical Care Recliner offers comfort, beauty and capability.

- Standard seat width is 22.5" between arms with a 350 pound weight capacity. This chair makes petite to average size patients feel right at home, comforted and individually cradled.
- X-large seat width is 26.5" between arms with a 500 pound weight capacity. This increased size makes it possible to care for higher BMI patients while providing a comfortable and personalized experience.



Standard Table



Pivot Table



Premium Table

COMPLEMENT DESIGN AND UTILITY BY ADDING THE APPROPRIATE ACCESSORIES

- Heat option provides patient-selected, soothing warmth for maximum comfort.
- Heat and massage adds a selection of gentle vibrating massage modes to the heat option, enhancing patient comfort level.
- Headrest cover is standard on Trendelenburg models, and is available for all other models as an option.
 Covers extend the life of the headrest, and are fastener-free, making them easy to lift on and off and keep the chair clean.
- Accessory hook is available for either left, right or both sides. The accessory hook is convenient for uses such as a Foley bag. The marine grade stainless steel remains flush until needed to prevent snagging other objects.
- IV Pole and holder option for either left, right or both sides. The holder moves with the swing arm, without interfering with chair operation.



X-Large 500 lb Capacity

Standard 350 lb Capacity

Table Options There are three table options; standard, pivot and premium. All tables are available in left, right or both configurations and can be ordered in a variety of combinations to assist patient comfort and clinician preference. All feature a stain resistant, non-porous material and all but the pivot table have a lip edge design to contain small spills.

- Standard table Value priced lift-to-raise- andlower table
- Pivot table swivels so patient can have the table in front of them.
- Premium table features an intuitive single hand up/down feature with audible positive lock and release feedback.

Standard tables add 2.75" (2.5" for XL) to each side of the chair when lowered, Premium tables add 1.25" (1" for XL) to each side of the chair when lowered. This added width should be considered when ordering table options appropriate for your facility.



Conveniently placed controls for patient independence

Heat & Massage: 3 levels of heat, 5 levels of massage



Accessory Hook (shown here with Foley bag)



IV holder mount allows IV pole to remain relatively stationary when the swing arm (option) is in operation

MODELS & SPECIFICATIONS * Multiple options are available. Please contact us to ask about specifications for your exact configurations.

	PEDESTAL FEET		3" CA	STERS	5" CA	STERS	FOOTPLATE (5" Casters Only)		
	STANDARD	X-LARGE	STANDARD	X-LARGE	STANDARD	X-LARGE	STANDARD	X-LARGE	
MODELS - Push Back	Call	Call	Call	Call	AL-25988ST AL-25982ST	AL-25988XL AL-25982XL	AL-25988ST AL-25982ST	AL-25988XL AL-25982XL	
MODELS - Gas Back	LS - Gas Back Call Call Call Call		Call	Call	Call Call		Call		
Seat Height to Floor	19.25" (48.9 cm)	(cm) 19.25" (48.9 cm) 20.5" (52.1 cm) 20.5" (52.1 cm		20.5" (52.1 cm)	22.75" (57.8 cm) 22.75" (57.8 cm)		22.75" (57.8 cm)	22.75" (57.8 cm)	
Seat Height to Footplate	-	-	-	-	-	-	19.5" (49.5 cm)	19.5" (49.5 cm)	
Seat Width (Between Arms)	22.5" (57.2 cm)	26.5" (67.3 cm)	22.5" (57.2 cm)	26.5" (67.3 cm)	22.5" (57.2 cm)	22.5" (57.2 cm) 26.5" (67.3 cm)		26.5" (67.3 cm)	
Seat Depth	22" (55.9 cm)	22" (55.9 cm)	22" (55.9 cm)	22" (55.9 cm)	22" (55.9 cm)	22" (55.9 cm)	22" (55.9 cm)	22" (55.9 cm)	
Overall Height	44.75" (113.7 cm)	44.75" (113.7 cm)	46" (116.8 cm)	46" (116.8 cm)	48.25" (122.6 cm)	48.25" (122.6 cm)	48.25" (122.6 cm)	48.25" (122.6 cm)	
Overall Width/out table & w/fixed arm or w/swing arm closed,)*	29.5"	34"	29.5"	34"	29.5"	34"	29.5"	34"	
Width: Swing arm open 90°	+35.75"	+35.75"	+35.75"	+35.75"	+35.75"	+35.75" +35.75"		+35.75"	
Width: Swing arms open 180°	+28.5"	+32.5"	+28.5"	+32.5"	+28.5"	+32.5"	+28.5"	+32.5"	
Back Height (Above Seat)	29.25" (74.3 cm)	29.25" (74.3 cm)	29.25" (74.3 cm)	29.25" (74.3 cm)	29.25" (74.3 cm)	29.25" (74.3 cm)	29.25" (74.3 cm)	29.25" (74.3 cm)	
Overall Length (Upright)	39.5" (100.3 cm)	39.5" (100.3 cm)	39.5" (100.3 cm)	39.5" (100.3 cm)	39.5" (100.3 cm)	39.5" (100.3 cm)	39.5" (100.3 cm)	39.5" (100.3 cm)	
Overall Length (Reclined)	69" (175.3 cm)	69" (175.3 cm)	69" (175.3 cm)	69" (175.3 cm)	69" (175.3 cm)	69" (175.3 cm)	69" (175.3 cm)	69" (175.3 cm)	
Arm Height	25.5" (67.3 cm)	25.5" (67.3 cm)	26.75" (67.9 cm)	26.75" (67.9 cm)	29" (73.7 cm)	29" (73.7 cm)	29" (73.7 cm)	29" (73.7 cm)	
Weight (no options)*	104 lb (47.2 kg)	122 lb (55.3 kg)	104 lb (47.2 kg)	122 lb (55.3 kg)	104 lb (47.2 kg)	122 lb (55.3 kg)	114 lb (51.7 kg)	132 lb (59.9 kg)	
Weight Capacity	350 lb (158.8 kg)	500 lb (226.8 kg)	350 lb (158.8 kg)	500 lb (226.8 kg)	350 lb (158.8 kg)	500 lb (226.8 kg)	350 lb (158.8 kg)	500 lb (226.8 kg)	

FEATURES

NON-TRENDELENBURG (5 SERIES)	ARM TYPE	PEDESTAL FEET	3" CASTERS	5" CASTERS	FOOTPLATE 5" CASTERS
STANDARD	Fixed Arm	Call	Call	AL-25982STFN	AL-25982STFF
(350 LB CAPACITY)	Swing Arm	Call	Call	AL-25982STSN	AL-25982STSF
XL (500 LB CAPACITY)	Fixed Arm	Call	Call	AL-25982XLFN	AL-25982XLFF
	Swing Arm	Call	Call	AL-25982XLSN	AL-25982XLSF

TRENDELENBURG (6 SERIES)	ARM TYPE	PEDESTAL FEET	3" CASTERS	5" CASTERS	FOOTPLATE 5" CASTERS
STANDARD	Fixed Arm	Call	Call	AL-25988STFN	AL-25988STFF
(350 LB CAPACITY)	Swing Arm	Call	Call	AL-25988STSN	AL-25988STSF
XL (500 LB CAPACITY)	Fixed Arm	Call	Call	AL-25988XLFN	AL-25988XLFF
	Swing Arm	Call	Call	AL-25988XLSN	AL-25988XLSF

OPTIONS

	TB133	HEAT	HEAT & MASSAGE	STANDARD TABLES (LIFT & DROP)	PREMIUM TABLES (SQUEEZE & DROP)	PIVOT TABLE	IV POLE	ACCESSORY HOOK	PUSH HANDLE	ARM REST COVERS	HEAD REST COVERS	MEMORY FOAM UPGRADE	URETHANE ARM CAPS
AVAILABLE ON ALL MODELS	All	All	All	All; L, R, Both	All; L, R, Both	All; L, R, Both	All; L, R, Both	All; L, R, Both	Recommended for Footplate models only	All	Standard on 6 Series, Optional on 5 Series	All	All

info@alcosales.com 800.323.4282 www.alcosales.com









